

COUNTY OF KANE

Kane County Board of Review
Timothy J. Sullivan, MAI, SRA, Chairman
Constantine “Dino” Konstans, Member
Michael E. Madziarek, CIAO, Member
Mark D. Armstrong, CIAO-M, Clerk



719 Batavia Avenue, Building C
 Geneva, Illinois 60134-3000
 (630) 208-3818
Assessments.KaneCountyIL.gov

2023 Session of the Board of Review Meeting Minutes for January 18, 2024 @ 8:30 A.M. Kane County Board of Review Hearing Room A 719 Batavia Avenue, Building C • Geneva, Illinois 60134

1. The Board of Review convened at 8:30 A.M. on Thursday, January 18, 2024 in conference room A of building C of the Kane County Government Center. The following members were physically present: Chairman Sullivan, Member Madziarek and Member Konstans.
2. There were no public comments on agenda items.
3. No minutes were submitted for review and approval.
4. Oral hearings were held on the following Real Estate Complaints and Board of Review action taken:

Docket Number	Action Taken	Vote of Members		
		Sullivan	Madziarek	Konstans
23BUCM0003	Revalued Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0008	Confirmed Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0009	Revalued Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0010	Confirmed Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0011	Revalued Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0012	Confirmed Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0014	Confirmed Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0016	Revalued Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0017	Confirmed Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0018	Confirmed Equalized Assessed Valuation	Yes	Yes	Yes
23BUCM0019	Confirmed Equalized Assessed Valuation	Yes	Yes	Yes

5. An oral hearing was held on the following Real Estate Complaint and Board action deferred for additional information.

23BUCM0001

6. There were no public comments on non-agenda items.
7. There was no additional business.
8. The Board of Review recessed at 11:30 A.M. on Thursday, January 18, 2024 until Monday, January 22, 2024 at 8:30 A.M.